

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	103	((level near3 set) same (model\$4 or polygon\$4 or mesh or lattice)) same (deformat\$4 or deform\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/12/02 08:30
L3	8	((speed near3 function) and (level near3 set)) and (filter with function) and (region\$4 with constrain\$4) and (surface with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/12/02 08:31
L4	54	((model\$4 or polygon\$4 or mesh or lattice or shape or object or primitive) with (level near3 set)) same ((surfac\$4 or outer) with (edit\$4 or modify or modification or change or alter\$4 or deformat\$4 or deform\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/12/02 08:33
L5	26	((model\$4 or polygon\$4 or mesh or lattice or shape or object or primitive) with (level adj set)) same ((surfac\$4 or outer) with (edit\$4 or modify or modification or change or alter\$4 or deformat\$4 or deform\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/12/02 08:35
L6	3	((speed near3 function) with (level near3 set)) same ((surfac\$4 or outer) with (edit\$4 or modify or modification or change or alter\$4 or deformat\$4 or deform\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/12/02 08:36
L7	2	((speed near3 function) with (level near3 set)) and (region\$4 with constrain\$4) and (filter\$4 with function) and ((surfac\$4 or outer) with (propert\$4 or attribut\$4 or characteris\$4)) and ((surfac\$4 or outer) with (edit\$4 or modify or modification or change or alter\$4 or deformat\$4 or deform\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/12/02 08:37
L8	361	((speed with function)) and ((level with set) same (polygon or mesh or primitive or nurb or "csg" or (solid near model\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/12/02 08:38
L9	170	((level with set) same (model\$4 or polygon\$4 or mesh or lattice)) same (deformat\$4 or deform\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/12/02 08:38
L10	16	((speed with function) and (level near3 set)) and (filter with function) and (region\$4 with constrain\$4) and (surface with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/12/02 08:38
L11	16	((speed with function) and (level with set)) and (filter with function) and (region\$4 with constrain\$4) and (surface with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/12/02 08:38
L12	184	((model\$4 or polygon\$4 or mesh or lattice or shape or object or primitive) with (level with set)) same ((surfac\$4 or outer) with (edit\$4 or modify or modification or change or alter\$4 or deformat\$4 or deform\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/12/02 08:38

## EAST Search History

L13	2	((((speed with function) with (level with set)) and (region\$4 with constrain\$4) and (filter\$4 with function) and ((surfacc\$4 or outer) with (propert\$4 or attribut\$4 or characteris\$4)) and ((surfacc\$4 or outer) with (edit\$4 or modify or modification or change or alter\$4 or deformat\$4 or deform\$4))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/12/02 08:38
L14	2	((reset\$4 or updat\$4 or refresh\$4 or reload\$4) same (volum\$4 or representation or model or mesh or "level set" or (level near set))) and ((isosurface\$4 or (iso near surfacc\$4)) same (short\$4 with distanc\$4) same (narrow same band))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/12/02 08:58
L15	21	((reset\$4 or updat\$4 or refresh\$4 or reload\$4) same (volum\$4 or representation or model or mesh or "level set" or (level near set))) and ((isosurface\$4 or (iso near surfacc\$4)) same (distanc\$4) same (narrow same band)) and ("level set" or (level near set))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/12/02 08:59
L16	2	((reset\$4 or updat\$4 or refresh\$4 or reload\$4) same (volum\$4 or representation or model or mesh or "level set" or (level near set))) and ((isosurface\$4 or (iso near surfacc\$4)) same ((small\$4 or short\$4) with distanc\$4) same (narrow same band)) and ("level set" or (level near set))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/12/02 08:59
L17	21	((reset\$4 or updat\$4 or refresh\$4 or reload\$4) with (volum\$4 or representation or model or mesh or "level set" or (level near set))) and ((isosurface\$4 or (iso near surfacc\$4)) same (distanc\$4) same (narrow same band)) and ("level set" or (level near3 set))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/12/02 09:11
L18	244	((speed with function)) and ((level near3 set) same (polygon or mesh or primitive or nurb or "csg" or (solid near model\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/12/02 09:11
L19	3	(((((level near3 set) same (model\$4 or polygon\$4 or mesh or lattice)) same (deformat\$4 or deform\$4))))).clm.	US-PGPUB	OR	ON	2008/12/02 09:11
L20	2	((((speed with function) and (level near3 set)) and (filter with function) and (region\$4 with constrain\$4) and (surface with function))).clm.	US-PGPUB	OR	ON	2008/12/02 09:12
L21	1320	(345/420).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2008/12/02 09:12
L22	2	(((((model\$4 or polygon\$4 or mesh or lattice or shape or object or primitive) with (level near3 set)) same ((surfacc\$4 or outer) with (edit\$4 or modify or modification or change or alter\$4 or deformat\$4 or deform\$4))))).clm.	US-PGPUB	OR	ON	2008/12/02 09:13
L23	2	(((((model\$4 or polygon\$4 or mesh or lattice or shape or object or primitive) with (level adj set)) same ((surfacc\$4 or outer) with (edit\$4 or modify or modification or change or alter\$4 or deformat\$4 or deform\$4))))).clm.	US-PGPUB	OR	ON	2008/12/02 09:13
L24	2	((((speed with function) with (level with set)) and (region\$4 with constrain\$4) and (filter\$4 with function) and ((surfacc\$4 or outer) with (propert\$4 or attribut\$4 or characteris\$4)) and ((surfacc\$4 or outer) with (edit\$4 or modify or modification or change or alter\$4 or deformat\$4 or deform\$4))))).clm.	US-PGPUB	OR	ON	2008/12/02 09:56
L25	0	((reset\$4 or updat\$4 or refresh\$4 or reload\$4) same (volum\$4 or representation or model or mesh or "level set" or (level near set))) and ((isosurface\$4 or (iso near surfacc\$4)) same (short\$4 with distanc\$4) same (narrow same band))).clm.	US-PGPUB	OR	ON	2008/12/02 09:56
L27	3	(((((model\$4 or polygon\$4 or mesh or lattice or shape or object or primitive) and (level with set)) and (speed with (function or equation or expression)) and ((surfacc\$4 or outer) with (edit\$4 or modify or modification or change or alter\$4 or deformat\$4 or deform\$4))))).clm.	US-PGPUB	OR	ON	2008/12/02 10:00

## EAST Search History

L28	1	(((level near3 set) same (model\$4 or polygon\$4 or mesh or lattice)) same (deformat\$4 or deform\$4))).clm. and 21	US-PGPUB	OR	ON	2008/12/02 10:00
L29	1	(((speed with function) and (level near3 set)) and (filter with function) and (region\$4 with constrain\$4) and (surface with function)).clm. and 21	US-PGPUB	OR	ON	2008/12/02 10:00
L30	1	(((model\$4 or polygon\$4 or mesh or lattice or shape or object or primitive) with (level near3 set)) same ((surfac\$4 or outer) with (edit\$4 or modify or modification or change or alter\$4 or deformat\$4 or deform\$4))).clm. and 21	US-PGPUB	OR	ON	2008/12/02 10:01
L31	1	(((model\$4 or polygon\$4 or mesh or lattice or shape or object or primitive) with (level adj set)) same ((surfac\$4 or outer) with (edit\$4 or modify or modification or change or alter\$4 or deformat\$4 or deform\$4))).clm. and 21	US-PGPUB	OR	ON	2008/12/02 10:01
L32	1	(((speed with function) with (level with set)) and (region\$4 with constrain\$4) and (filter\$4 with function) and ((surfac\$4 or outer) with (propert\$4 or attribut\$4 or characteris\$4)) and ((surfac\$4 or outer) with (edit\$4 or modify or modification or change or alter\$4 or deformat\$4 or deform\$4))).clm. and 21	US-PGPUB	OR	ON	2008/12/02 10:01
L33	0	(((reset\$4 or updat\$4 or refresh\$4 or reload\$4) same (volum\$4 or representation or model or mesh or "level set" or (level near set))) and ((isosurface\$4 or (iso near surfac\$4)) same (short\$4 with distanc\$4) same (narrow same band))).clm. and 21	US-PGPUB	OR	ON	2008/12/02 10:01
L34	1	(((model\$4 or polygon\$4 or mesh or lattice or shape or object or primitive) and (level with set)) and (speed with (function or equation or expression)) and ((surfac\$4 or outer) with (edit\$4 or modify or modification or change or alter\$4 or deformat\$4 or deform\$4))).clm. and 21	US-PGPUB	OR	ON	2008/12/02 10:01